

Listing of Claims:

This listing of claims reflects all claim amendments and replaces all prior versions, and listings, of claims in the application. Material to be inserted is in **bold and underline**, and material to be deleted is in ~~strikeout~~ or (if the deletion is of five or fewer consecutive characters or would be difficult to see) in double brackets [[]].

Please cancel claim 6 without prejudice.

Please amend claims 1-5 and 7-9 as indicated below.

1. (Currently Amended) A mobile joint (1) suitable for a sitting device, comprising a first and second joint element (10, 20), which are pivotally connected by a shaft ~~{3}~~ **(30)**, to allow tilting of the sitting device caused by the displacement of the users weight, ~~characterized in that~~ **wherein** the mobile joint comprises a first and second parallel plate spring (18,19) with first and second ends, with an intermediate blocking element (11), wherein each plate spring (18,19) in the first end ~~are~~ **is** connected to the first joint element (10), and in the second end ~~are~~ **is** glidingly abutting the second joint element (20), the first and second plate spring (18,19) each having an axis of rotation that is displaced in relation to each other and the shaft ~~{3}~~ **(30)**.

2. (Currently Amended) The ~~Mobile~~ **mobile** joint (1) according to claim 1 ~~characterized in that~~ **wherein** the springs (18, 19) abut curved faces (22, 23) on the blocking device **element** (11) when deflected.

3. (Currently Amended) The ~~Mobile~~ mobile joint (1) according to claim 1, ~~characterized in that~~ wherein the spring is adjustable by adjusting the distance from the axis of rotation of the shaft (30) to the fixing of the springs (18, 19).

4. (Currently Amended) The ~~Mobile~~ mobile joint according to claim 1, ~~characterized in that~~ wherein the springs are made of fibreglass.

5. (Currently Amended) The ~~Mobile~~ mobile joint according to claim 4 ~~characterized in that~~ wherein the fibreglass is reinforced by ~~means of~~ carbon and/or KEVLAR high-strength polymers.

6. (Canceled)

7. (Currently Amended) The ~~Mobile~~ mobile joint according to claim 1, ~~characterized in that~~ wherein the outside dimensions of the joint (1) ~~is approximately 8 cm x 10 cm x 8 cm (height x width x length)~~ are approximately 8 cm in height, 10 cm in width, and 8 cm in length.

8. (Currently Amended) The ~~Use~~ use of the mobile joint (1) formed according to one of the preceding claims in a chair comprising a seat device (100) and an underframe (200) wherein the mobile joint (1) connects the seat device (100) and the underframe (200).

9. (Currently Amended) The ~~Use~~ use according to claim 8 wherein the mobile joint (1) is integrated in the seat device (100).